ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina

Section 7 Original Sheet 1

SPECIAL DIAL TONE ARRANGEMENTS

CONCURRENCE

St. Stephen Telephone Company, Inc. d/b/a TDS Telecom hereby assents to, adopts and concurs in the Special Dial Tone Arrangements as set forth in Section 7 of the McClellanville Telephone Company, Inc. d/b/a TDS Telecom tariff, on file with the South Carolina Public Service Commission and makes itself a party thereto and obligates itself to observe the provisions therein with the exceptions listed below:

EXCEPTIONS

- Virtual Telephone Network (VTN) Service Α.
 - 1. General

A customer may provision VTN service on VTN Standard or VTN Digital Key Lines and Channels.

Standard Features

Each VTN Digital Key station will have the option to be equipped with the following features at no charge. VTN users must provide their own compatible premises equipment to utilize these features.

a. Expansion Modules

Provides the VTN user with a Digital Key telephone to have additional keys for features or call appearances by adding one or two Expansion Modules to their VTN Digital Key station.

b. Automatic Dial

Provides autodialing of a single directory number via a single key on a Digital Key telephone.

c. Multiple Call Appearances of a Directory Number

Allows the VTN user to have up to five (four additional) appearances of the primary directory number or secondary directory number assigned to the Digital Key telephone, providing the capability of multiple hunting incoming or outgoing calls associated with that directory number.

ISSUED: June 11, 2008

THE PUBLIC SERVICE COMMISSION EFFECTIVE: June 25, 2008

OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7 Original Sheet 2

SPECIAL DIAL TONE ARRANGEMENTS

- A. <u>Virtual Telephone Network (VTN) Service</u> (continued)
 - 2. Standard Features (continued)
 - d. <u>Shared Call Appearances of a Directory Number</u>
 Allows a directory number(s) from any VTN station to appear on customerprovided sets of other users.
 - e. <u>Busy Lamp Field / Direct Station Selection</u>
 Allows the VTN Digital Key station to monitor the busy status of another VTN station line or to directly call another VTN station by depressing the associated BLF/DSS key.
 - 3. Optional-Chargeable Feature
 - a. <u>Secondary Directory Numbers</u>
 An arrangement that allows a Digital Key telephone to have access to an additional telephone number(s). The additional telephone number(s), or Secondary Directory Number(s), may originate or receive calls independent of the Digital Key Telephone's Primary Directory Number.
 - 4. Conditions and Limitations
 - a. VTN is offered subject to the availability of outside plant and/or Central Office facilities. Individual feature availability and availability of Digital Key lines may differ by exchange.
 - b. Each VTN Digital Key line may be provisioned with a maximum of 2 Digital Key Channels.
 - c. VTN Digital Key lines are provisioned for voice-only applications and may not be used for data transmission.

ISSUED: June 11, 2008

APPROVED FOR FILING EFFECTIVE: June 25, 2008

THE PUBLIC SERVICE COMMISSION OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7 Original Sheet 3

SPECIAL DIAL TONE ARRANGEMENTS

A. <u>Virtual Telephone Network (VTN) Service</u> (continued)

5. Line Rates

	VIRTUAL T	ELEPHONE NET		KEY LINE RATI	ES ²
		VTN <u>Ti</u>	ERM PERIOD		
_ · · · _ ·	- ·	12 Months	24 Months	36 Months	60 Months
c Z	2+	29.30	22.50	20.30	16.20
E S -	5+	25.70	19.80	17.80	14.20
트를	20+	21.80	16.80	13.40	10.70
Minimum Total VTN Lines ³	50+	20.10	15.50	12.40	9.90
- h-	80+	18.20	14.00	11.20	9.00

The total number of VTN Standard and Digital Key lines at all locations served by the VTN Group will be used to determine the discount level. Secondary Directory Numbers, Digital Key Channels, and other features-related to directory numbers are not included in determining discount levels.

6. Channel Rates

	IRTUAL TEL	EPHONE NETWO	ORK DIGITAL KI	EY CHANNEL R	ATES
		VTN TI	ERM PERIOD		
		12 Months	24 Months	36 Months	60 Months
	2+	10.30	7.90	7.10	5.70
un E.s ⊢	5+	9.00	6.90	6.30	5.00
	20+	7.60	5.90	5.30	4.30
Minir	50+	7.10	5.50	4.90	3.90
2 F		6.40	4.90	4.40	3.60
	80+	0.40	4.30	1.10	

- 7. Optional Individual Line Features
 - a. Secondary Directory Numbers
 (Digital Channel Service Lines)

\$2.00 per number

- 8. Service Charges
 - Standard and Digital Key Line Connection Charge: A non-recurring charge will apply for each Standard and Digital Key Line connected.
 - b. <u>Digital Key Channel Establishment Charge</u>: A \$15.00 non-recurring charge will apply for each Digital Key Channel established.
 - c. <u>VTN Secondary Directory Number Establishment Charge</u>: A \$10.00 non-recurring charge will apply for each Secondary Directory Number requested.

ISSUED: June 11, 2008

APPROVED FOR FILING EFFECTIVE: June 25, 2008

THE PUBLIC SERVICE COMMISSION

t OF SOUTH CAROLINA

BY: Jeff Jung, Vice-President

JUST TOTATOLINAT

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7 Original Sheet 4

SPECIAL DIAL TONE ARRANGEMENTS

B. Integrated Services Digital Network (ISDN) Service - Basic Rate Interface (BRI)

1. General

Integrated Services Digital Network (ISDN) describes the end-to-end digital telecommunications network architecture, which provides for the simultaneous access, transmission and switching of voice, data and video services. These functions are provided via channelized transport facilities. The ISDN architecture consists of digital switching systems, which connect Basic Rate Interface (BRI) lines to their serving central office. Caller ID-Basic is included with this service.

BRI is an optional service arrangement, which can be used in conjunction with a customer's Individual Line Business or Residence service. It uses the ISDN architecture to provide the customer with the capabilities of simultaneous access transmission and switching of voice, data and video services via channelized transport. In addition, BRI provides the customer with access to Circuit Switched Voice Service, Circuit Switched Data Service and Packet Switched Data Service.

A BRI arrangement obtains its capabilities from a properly equipped telephone company central office switch. The BRI arrangement may consist of up to two "B" channels and one "D" channel (2B+D).

"B" Channel: The "B" Channel is a bi-directional synchronous channel capable of supporting 64 kilobit per second (kbps) of digital transmission of information between users. The "B" Channel be configured to offer voice service, data service or voice/data service. One Primary Directory Number with one Primary Directory Listing for the first "B" Channel ISDN Service line is provided. Additional listings may be provided as specified for Additional Listing Service in the Directory Listings section of this company's tariff.

"D" Channel: The "D" Channel is a 16 kbps digital signaling channel that carries signaling and control for the "B" channel and has maximum packet transmission throughput of 9.6 kbps.

All ISDN Service lines consist of central office facilities, including the outside plant facilities, extended from the Company's switching equipment to the customer's demarcation point.

ISSUED: June 11, 2008

APPROVED FOR FILING EFFECTIVE: June 25, 2008

THE PUBLIC SERVICE COMMISSION
OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7
Original Sheet 5

SPECIAL DIAL TONE ARRANGEMENTS

- B. <u>Integrated Services Digital Network (ISDN) Service Basic Rate Interface (BRI)</u> [continued]
 - 1. General (continued)

ISDN Service is provided at the option of the Company, and is furnished subject to central office switching capacity and the availability of outside plant facilities. The availability, functionality and capabilities of the ISDN Service features may vary, or may not be available dependent upon type of serving central office switch, related software controlling that switch and associated outside plant.

The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of ISDN Service render any facilities provided by the customer obsolete or require modification or alteration of such customer's equipment or systems, or otherwise affect its use or performance.

2. Circuit Switching

Circuit Switching is a switching technique in which an entire circuit or, in a digital switch equipped for ISDN, a specific selection of time slots is dedicated to a given call. Circuit Switched Service provides the ability to originate and receive circuit switched voice, data and voice/data calls over a 64 kbps "B" channel. Usage charges for Circuit Switched Voice and Data calls are applicable on each "B" channel and are outlined in the ISDN-BRI Rate Schedule. The customer may choose among the following Circuit Switched features based upon application needs.

- a. Electronic Key Telephone Service (EKTS) Features: Electronic Key Features provide the customer with the ability to access the following features where available:
 - (1) Multiple Call Appearances of a Directory Number An arrangement that allows the user to have appearances of the directory number assigned to the customer-provided set, providing the capability of multiple incoming or outgoing calls associated with that directory number. Multiple incoming calls to this directory number or secondary telephone number (if purchased) can be terminated to the telephone, if one or more idle calls appearances are available to accept the calls. In certain central offices, this arrangement may impact the use of the Shared Call Appearance feature.

ISSUED: June 11, 2008

APPROVED FOR FILING EFFECTIVE: June 25, 2008

THE PUBLIC SERVICE COMMISSION
OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina

Section 7 Original Sheet 6

SPECIAL DIAL TONE ARRANGEMENTS

- Integrated Services Digital Network (ISDN) Service Basic Rate Interface (BRI) B. [continued]
 - 2. Circuit Switching (continued)
 - a. Electronic Key Telephone Service (EKTS) Features
 - Shared Call Appearances of a Directory Number An arrangement that allows a directory number(s) from one customer-provided set to appear as a call appearance(s) on the customer-provided sets of other users. Bridging, an arrangement that allows the user to connect onto a currently active call, is included.
 - Analog Line Pickups An arrangement that allows an ISDN set to provide coverage for an analog number(s). This arrangement is limited to analog numbers that are terminated in the same central office switch. This feature may limit the use of other features and/or functionality on the analog line. Bridging, an arrangement that allows the analog user to connect onto a currently active call, is included.
 - Privacy Release (Automatic Exclusion) An arrangement that allows a customer to specify that no other user can bridge onto an existing call(s). On a call by call basis, this feature can be disabled to allow bridging to occur.
 - Manual Exclusion (Privacy) An arrangement (opposite of Privacy (5) Release) that allows the customer to restrict other stations from picking up an existing call on hold or bridging onto an existing call that is active at that station.
 - Intercom Calling An arrangement that allows for ISDN station-to-station (6) calls.
 - Bridging An arrangement that allows the user to join an active call by (7)Bridging is inhibited if pressing the active call appearance button. Manual Exclusion is activated on the terminal engaged in the active call.

ISSUED: June 11, 2008

THE PUBLIC SERVICE COMMISSION

OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7 Original Sheet 7

SPECIAL DIAL TONE ARRANGEMENTS

- B. Integrated Services Digital Network (ISDN) Service Basic Rate Interface (BRI) [continued]
 - 2. Circuit Switching (continued)
 - b. <u>Secondary Telephone Numbers</u> An arrangement that allows a customer-provided set to have access to an additional telephone number(s). The additional telephone number(s) or Secondary Telephone Number(s) may originate or receive calls independent of the customer-provided set's Primary Directory Telephone Number.
 - c. <u>Clear Channel Capability</u> A characteristic of the transmission paths on the "B" channel that allows the full bandwidth on the "B" channel, 64 kbps, to be available to the customer. However, ISDN interconnection to non-ISDN equipped central offices will be potentially subjected to analog transmission or sub-rated to 56 kbps.
 - d. <u>Custom Calling Services</u> Available at rates and charges specified elsewhere in the Custom Calling Services section of this tariff. Custom Calling Service features found specifically in this ISDN tariff will be charged for at rates found on the ISDN Rate Schedule.
 - (1) Call Hold, Drop and Transfer -
 - (2) <u>Call Hold</u> Allows the user to place a call on hold by pressing a programmed button on a customer-provided set.
 - (3) <u>Cail Drop</u> This central office based feature allows the user to disconnect the last party added to a conference call.
 - (4) <u>Call Transfer</u> This feature allows the user to transfer a call to another directory number. This feature is for use with Circuit Switched voice only.
 - e <u>Advanced Calling Services</u> Available at rates and charges specified elsewhere in the Advanced Calling Services section of this tariff. Advanced Calling Service features found specifically in this ISDN tariff will be charged for at rates found on the ISDN Rate Schedule.
 - (1) <u>Caller Identification-Deluxe</u> An Advanced Calling Service feature that provides the caller's name and number to be displayed on properly equipped customer-provided equipment (where available).
 - (2) <u>Caller Identification-Basic</u> An Advanced Calling Service feature that provides the caller's telephone number to be displayed on properly equipped customer-provided equipment (where available).

ISSUED: June 11, 2008

BY: Jeff Jung, Vice-President

APPROVED FOR FILING EFFECTIVE: June 25, 2008 THE PUBLIC SERVICE COMMISSION

OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7
Original Sheet 8

SPECIAL DIAL TONE ARRANGEMENTS

- B. Integrated Services Digital Network (ISDN) Service Basic Rate Interface (BRI) [Continued]
 - 3. Alternate Circuit Switched Voice Service/Circuit Switched Data Service

Alternate Circuit Switched Voice Service/Circuit Switched Data Service provides the ability to originate and receive either Circuit Switched Voice calls or Circuit Switched Data calls over a single "B" channel, but not simultaneously. This arrangement is available where technology permits. The features applicable to Circuit Switching Service are also applicable to this service.

4 Intraswitch Packet Switched Data "D" Channel Service

Packet Switching is a technique in which packets of data are individually addressed and combined on a transmission path with other addressed packets. Packet Switched Data "D" Channel Service provides the ability to originate and receive X.25 packet data calls on an intraswitch basis. This arrangement provides a maximum throughput of 9.6 kbps. Each "D" channel packet terminal will provide logical channel up to the technical capabilities of the serving central office. Multiple packet calls can be active simultaneously by a user on a single "D" channel. Up to eight data terminals can be supported per Basic Rate Interface. Service includes one data telephone number.

- a. <u>Flow Control Parameter Negotiation</u> An arrangement that permits negotiation on per call basis of the flow control parameters. This feature automatically negotiates the maximum packet size and window size for each direction of data transmission. This can be presubscribed (fixed) or it can be established on a per call basis.
- b. <u>Throughput Class Negotiation</u> An arrangement that allows the calling data terminal to request specific throughput classes (bits/second) in the call request packet for both directories of data transmission.
- Logical Channels An arrangement that is a virtual circuit, offering multiple logical connections at the packet level of X.25. ISDN packet data service offers the ability to send and/or receive packet data calls on separate logical channels within one ISDN "D" channel. The logical channels can be assigned as permanent virtual circuits, incoming only, outgoing only, or two-way (incoming and outgoing).

ISSUED: June 11, 2008

APPROVED FOR FILING EFFECTIVE: June 25, 2008
THE PUBLIC SERVICE COMMISSION
OF SCLITH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7
Original Sheet 9

SPECIAL DIAL TONE ARRANGEMENTS

- B. <u>Integrated Services Digital Network (ISDN) Service Basic Rate Interface (BRI)</u> [continued]
 - 4. Intraswitch Packet Switched Data "D" Channel Service (continued)
 - d. <u>Incoming Calls Barred</u> An arrangement that prohibits a data terminal from terminating an incoming call.
 - e. <u>Outgoing Calls Barred</u> An arrangement that prohibits a data terminal from originating outgoing calls.
 - f. <u>Closed User Groups</u> An arrangement that allows ISDN users to establish subnetworks of ISDN packet switching data users from which members can communicate with each other. The Closed User Group is established on a per line basis. The first member of a Closed User Group is included. Additional members are charged at the rate established in the rate schedule. Each data terminal in a Closed User Group can be arranged in one of the following modes:
 - (1) <u>Closed User Group with Outgoing Access</u> The data terminal makes outgoing calls only.
 - (2) <u>Closed User Group with Incoming Access</u> The data terminal receives incoming calls only.
 - (3) Incoming Calls Barred Within a Closed User Group The data terminal makes outgoing calls only to the data terminal in the Closed User Group with which it is associated.
 - (4) Outgoing Calls Barred Within a Closed User Group The data terminal receives incoming calls only to the data terminals in the Closed User Group with which it is associated.
 - (5) <u>Unrestricted Access</u> The data terminal receives and makes both incoming and outgoing calls.
 - g. <u>Fast Select</u> An arrangement that allows a sending data terminal to forward up to 128 bytes of data along with the call setup and clearing packets.
 - h. <u>Fast Select Acceptance</u> An arrangement that allows the switch to transmit incoming call packets with the Fast Select facility to a destination terminal that has this feature.

ISSUED: June 11, 2008

BY: Jeff Jung, Vice-President

APPROVED FOR FILING EFFECTIVE: June 25, 2008

THE PUBLIC SERVICE COMMISSION
OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina

Section 7 Original Sheet 10

SPECIAL DIAL TONE ARRANGEMENTS

- Integrated Services Digital Network (ISDN) Service Basic Rate Interface (BRI) B. [continued]
 - 5. Transmission Specifications

The Standard Transmission parameters for an ISDN Service line utilizing an ISDN Basic Rate Interface (BRI) consists of: A maximum of 38.5db loop loss at a 40Kz test tone terminate into a 135 ohm impedance. The 38.5db loss includes all central office facilities, outside plant facilities and inside wiring.

Customer Premise Equipment and Facilities

The customer is responsible for providing compatible premises equipment in order to utilize the ISDN offering. All customer-provided equipment used to interface with ISDN Service is required to conform with the Technical Reference Specification as used by the Company and is found in the following Technical References:

		Voice Contact
Subject	Technical Reference	<u>Available</u>
Basic Rate Interface	AT&T 235-900-341	1-800-432-6600
Customer Premises Planning Guide	AT&T 533-700-100	1-800-432-6600

The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of ISDN Service render any facilities provided by the customer obsolete or require modification or alternation of such equipment or system, or otherwise affect its use or performance.

7. Special Construction

An average amount of entrance and distribution facilities may be furnished by the Company provided the facilities are of the standard type normally furnished for the particular location or kind of service. If additional entrance or distribution facilities are required; f the conditions are such as to require special equipment; if the installation is for temporary or semi-permanent purpose or if for any other reason the construction costs are excessive, the applicant shall be required to pay the costs over and above those applicable for a normal installation. Each special construction situation will be evaluated on an individual basis.

THE PUBLIC SERVICE COMMISSION EFFECTIVE: June 25, 2008 ISSUED: June 11, 2008

OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7 Original Sheet 11

SPECIAL DIAL TONE ARRANGEMENTS

B. Integrated Services Digital Network (ISDN) Service - Basic Rate Interface (BRI) [continued]

8. Rates

ISDN Service	Monthly Rate	Non-Recurring Charges
SDN LINE, PER LINE		
desidence	Residential One-Party Rate	See Service Connection
dusiness	Business One-Party Rate	See Service Connection
SIRCUIT SWITCHED VOICE SERVICE, PER "B" CHANNEL		
Business And Residence)	\$15.00 Flat Rate	See Service Connection
CIRCUIT SWITCHED DATA SERVICE, PER "B" CHANNEL		
Business And Residence)	\$15.00 Flat Rate	See Service Connection
ALTERNATE CIRCUIT SWITCHED VOICE/CIRCUIT		
WITCHED DATA, PER "B" CHANNEL		
Business And Residence)	\$15.00 Flat Rate	See Service Connection
CIRCUIT SWITCHED FEATURES: (Business And Residence)		
Electronic Key Telephone Service (EKTS):		
Multiple Call Appearances of a Directory Number (up to 3)	Included w/CSV, CSD	None
Fourth/Subsequent Call Appearances of a Directory Number	\$2.00 p/Call Appearance	None
2. Shared Call Appearances	\$1.00 p/Shared Call Appearance	None
3. Analog Line Pickups	\$1.00 p/First Analog Set	None
Privacy Release (Automatic Exclusion)	Included with CSV	None
Manual Exclusion (Privacy)	Included with CSV	None
6 Intercom Calling	\$1.50 p/Each Member	None
,		
Primary Directory Number	Included w/CSV, CSD	None
Secondary Telephone Numbers	\$2.00 p/Telephone Number	None
Clear Channel Capability	Included w/CSD	None
,		
Custom Calling Services	Custom Calling Svc (CCS) Tariff	See Service Connection
Call Hold, Drop and Transfer	Included w/CSV	None
		0 0 1 - 0 - 0 - 0 - 0
Advanced Calling Services	Advanced Calling Svc (ACS) Tariff	See Service Connectio
Caller Identification - Basic (where available)	Included w/CSV, CSD	None
Caller Identification - Deluxe (where available)	50% of ACS Tariffed Rate	See Service Connection
INTRASWITCH PACKET SWITCHED DATA, PER "D" CHANNEL		
(Business And Residence)	\$10.00	See Service Connection
PACKET SWITCHED DATA FEATURES: (Business And Residence)		
Flow Control Parameter Negotiation	Inc w/Packet Data "D" Channel	None
2. Throughput Class Negotiation	Inc w/Packet Data "D" Channel	None
3. Logical Channels	Inc w/Packet Data "D" Channel	None
Incoming Calls Barred	Inc w/Packet Data *D* Channel	None
5. Outgoing Calls Barred	Inc w/Packet Data "D" Channel	None
6. Closed User Groups (CUG)		
a. Per CUG		\$25,00 p/CUG initial set
b. Per Member in CUG		\$1.00 Add'l Member
7. Fast Select	Inc w/Packet Data "D" Channel	None
8 Fast Solect Acceptance	Inc w/Packet Data "D" Channel	None
SERVICE CONNECTION CHARGES apply for ISDN-BRI Service based	upon existing Service Connection charge	es See Service Connection

ISSUED: June 11, 2008

APPROVED FOR FILING THE PUBLIC SERVICE COMMISSION

EFFECTIVE: June 25, 2008

SIDENT OF SOUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7 Original Sheet 12

SPECIAL DIAL TONE ARRANGEMENTS

- C. Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI)
 - General Description

Integrated Services Digital Network (ISDN) is a public network-based set of communications services that make it possible to send, receive, and modify information using regular telephone facilities. ISDN provides end-to-end digital communications and gives the ability to transmit data and voice over the same telephone line simultaneously. This functionality is provided via channelized transport facilities. The ISDN architecture provides for Primary Rate Interface (PRI), which is typically used when a customer wants to connect large quantities of digital lines to the network.

ISDN-PRI uses the ISDN architecture to provide the customer with the capability to transmit voice and data simultaneously over the same digital facility. Under various optional arrangements, PRI provides the customer with access to Circuit-Switched Voice Services and Circuit-Switched Data Services.

- 2. Primary Rate Interface (PRI) Service Arrangement
 - a. An ISDN-PRI arrangement connects an ISDN-capable Telephone Company central office switch to ISDN-capable customer premise equipment (CPE). Depending on the application, that CPE might be a PBX, a router, a multiplexer, etc. The PRI ISDN arrangement provides a total of twenty-four digital communications channels within a single physical facility. Twenty-three of these channels are called Bearer, or B Channels and they carry the actual voice or data. Another channel, called the Delta or D Channel, is used to transport signaling for the other 23 channels. This configuration is known as 23B+D.
 - (1) **B Channel** The B Channel is a bi-directional synchronous channel capable of supporting digital transmission speeds of 64 kilobits per second (kbps). Each B Channel of a PRI may carry:
 - (a) Circuit-Switched Voice
 - (b) Circuit-Switched Data
 - (2) <u>D Channel</u> The D Channel is a 64 kbps digital signaling channel that carries signaling and control for the B Channels.

EFFECTIVE: June 25, 2008

APPROVED FOR FILING

ISSUED: June 11, 2008

THE PUBLIC SERVICE COMMISSION
OF SOUTH CARCLINA

BY: Jeff Jung, Vice-President $_{
m JUN}$ 2 5 $_{
m Z008}$

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7
Original Sheet 13

SPECIAL DIAL TONE ARRANGEMENTS

- C. <u>Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI)</u>
 [continued]
 - 2. Primary Rate Interface (PRI) Service Arrangement (Continued)
 - b. <u>Primary Rate Access Facility</u> The Primary Rate Access Facility provides a high capacity digital link over which the Primary Rate services are delivered. This facility is based on a 1.544 mbps DS1 carrier (T1 facility).
 - c. Multiple PRI Arrangement There may be situations where more than 23 B Channels are needed at a particular customer premise. In those situations, multiple PRI facilities can be assigned to a PRI arrangement. With the multiple PRI arrangement, the D Channel in the first PRI facility is used to transport signaling for additional PRI facilities. The first PRI would be configured as 23B+D and the other PRIs would be configured as 24B. This use of Non-Facility Associated Signaling (NFAS) allows the overhead of the D Channel to be distributed over multiple PRI facilities, thereby increasing channel efficiency.
 - d. <u>D Channel Backup</u> In Multiple PRI Arrangements, a second D Channel can be assigned (where available) as an automatic backup to the primary D Channel. This can be offered when more than one PRI is provided to the same customer in order to provide redundancy of the signaling channel.
 - Circuit Switched Service Descriptions

Circuit Switching is a switching arrangement in which an entire circuit or B Channel is dedicated to a given call. The circuit is connected on a per call basis and can carry circuit-switched voice or circuit-switched data. Circuit switched related services include:

- a. <u>Clear Channel Capability</u> A characteristic of the transmission paths on the "B" channel that allows the full bandwidth on the "B" channel, 64 kbps, to be available to the customer. However, ISDN interconnection to non-ISDN equipped central offices will be potentially subjected to analog transmission or sub-rated to 56 kbps.
- b. <u>Dedicated Trunk Groups</u> The B Channels of a PRI can be dedicated for calls to and from the public network: Incoming, Outgoing, 2-way, Direct Outward Dialing (DOD) or Direct Inward Dialing (DID).

ISSUED: June 11, 2008

THE PUBLIC SERVICE COMMISSION EFFECTIVE: June 25, 2008

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina

Section 7 Original Sheet 14

SPECIAL DIAL TONE ARRANGEMENTS

- Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI) C. [continued]
 - 3. Circuit Switched Service Descriptions (continued)
 - c. Primary Rate Call-By-Call Service The Primary Rate Call-By-Call (CBC) feature offers access to additional services such as:
 - Foreign Exchange,
 - Tie Trunk
 - InWATS.
 - And OutWATS

via the B Channels of an ISDN-PRI. With this feature, any B Channel on the PRI can be used to offer the above services on a per-call basis in addition to trunk calls to/from the public network (i.e., DOD/DID).

- d. Multiple Directory Numbers Each PRI includes the individual directory number. Additional directory numbers, a range of directory numbers, or several ranges of directory numbers can be optionally added.
- e. Advanced Calling Services ISDN-PRI can support access to the following Advanced Calling Services (also called CLASS services) from suitably equipped CPE:
 - (1) Caller ID-Basic This feature allows the central office and the customer's equipment to communicate the calling party's directory number on calls carried by the Primary Rate service. The number can then be made available to be displayed on a properly equipped telephone set or adjunct equipment.
- 4. Technical Specifications
 - a. Transmission Specifications The Primary Rate Access Facility provides a high capacity digital link over which the Primary Rate services are delivered. This facility is based on a 1.544 Mbps DS1 carrier (T1 facility) whose characteristics are as follows:

Bipolar 8 Zero Substitution (B8ZS) Line Code Extended Super Frame (ESF) Framing Format

= Q.931 Signaling Signaling

64 kbps clear or kbps restricted Data Rate 24th channel on the T1 facility D Channel

ISSUED: June 11, 2008

THE PUBLIC SERVICE COMMISSION EFFECTIVE: June 25, 2008

OF SCUTH CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7
Original Sheet 15

SPECIAL DIAL TONE ARRANGEMENTS

- C. <u>Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI)</u> [continued]
 - 4. Technical Specifications (Continued)
 - b. <u>Customer Premise Equipment (CPE) and Facilities</u> Compatible CPE is required to utilize ISDN-PRI. All equipment used to interface with these services is required to conform with ISDN guidelines as referenced in the following Bellcore specifications:

Document Number	Description
TR-NWT-001268	ISDN Primary Rate Interface Call Control Switching and Signaling Generic Requirements for Class II Equipment
SR-NWT-002343	ISDN Primary Rate Interface Generic Guidelines for Customer Premises Equipment

The Telephone Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provisioning of ISDN services render any facilities provided by the customer obsolete or require modification of such equipment or system, or otherwise affect its use or performance.

- 5. Regulations and Conditions
 - a. Unless specifically exempted, ISDN services shall be subject to all general regulations applicable to the provision of service by the Telephone Company as stated in the general tariff.
 - b. ISDN-PRI is provided at the option of the Company. These services are furnished subject to central office switching capacity, capability and the availability of outside plant facilities. The availability, functionality and capabilities of ISDN-PRI may vary or may not be available, dependent upon type of serving central office switch, related software controlling that switch and associated outside plant. Where facilities are not available or unusual expenditures are involved in making them available, the customer may be required to pay additional charges to cover the unusual expenditure, or to contract for services beyond the normal service term, or both.
 - c. Mileage Charges: Provision of the underlying PRI Access facility (T1) is mileage sensitive. As such, additional mileage charges may apply.

APPROVED FOR FILING

ISSUED: June 11, 2008

THE PUBLIC SERVICE COMMISSION EFFECTIVE: June 25, 2008
OF SIGHT CAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina Section 7 Original Sheet 16

SPECIAL DIAL TONE ARRANGEMENTS

- C. <u>Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI)</u>
 [continued]
 - 5. Regulations and Conditions (continued)
 - d. Payment for Service:
 - (1) The minimum charge period for services provided under this tariff is one month.
 - (2) The customer may choose to pay for the service on a month-to-month basis.
 - (3). Suspension of service is not allowed.
 - e. Directory Listings: One directory listing is provided without charge for each ISDN-PRI customer. Additional listings may be provided as specified for Additional Listing Service in the Rates & Charges section of this ISDN-PRI tariff.
 - f. Billable Call Treatment: Normal toll charges (including InWATS and OutWATS charges) shall apply to calls that are made outside of the Local Service Area.
 - g. Customer Premise Equipment (CPE):
 - (1) This tariff does not include terminal equipment on the customer's premises. Terminal equipment may be covered under a separate tariff, sold or leased separately by the Telephone Company (under a separate contract), or may be provided by the customer.
 - (2). The customer is responsible for providing the power required for any and all CPE connected to an ISDN-PRI.
 - h. The Company shall not be liable for any loss or damages arising out of error, interruptions, defects, failure or malfunctions of ISDN services or associated equipment. Damages arising out of such interruptions, defects, failures or malfunctions of the services, after the Telephone Company has been notified, and has reasonable time for repair, shall in no event exceed an amount equivalent to the charges made for the service affected for the period following notice from the customer until service is restored.
 - Service Establishment Charge does not apply for the establishment of the Communication Channels when the customer signs an agreement to subscribe to ISDN-PRI for a minimum of 3 years. If the customer discontinues service prior to the conclusion of the 3 year agreement, the customer will incur a disconnection charge equal to the Service Establishment Charges. The disconnection charge will not apply if the customer purchases other services from the Company which replaces ISDN-PRI service.

ISSUED: June 11, 2008

APPROVED FOR FILING
THE PUBLIC SERVICE COMMISSION
TO CERCUTH CAROLINA

EFFECTIVE: June 25, 2008

ST. STEPHEN TELEPHONE COMPANY, INC.

d/b/a TDS Telecom South Carolina

Section 7 Original Sheet 17

SPECIAL DIAL TONE ARRANGEMENTS

- Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI) [continued] С
 - Rates and Charges 6.

ISDN Service	Monthly Rate	Service Establishment (Nonrecurring Rates)
i. ISDN-PRI ACCESS: a. ISDN-PRI Access Facility (first mile)	Included in ISDN-PRI Rate (Communication Channels Mo. Rate)	Included in ISDN-PRI Service Establishment (Communications Channels Svc Establishment)
b. PRI Access Facility - Mileage Charges (each additional mile)	\$20.00/each additional mile	Included in ISDN-PRI Service Establishment (Communication Channels Svc Establishment)
2. COMMUNICATION CHANNELS:		A4 000 00
a. B Channels plus D Channel, OR B Channels (Multiple PRI Arrangement)	\$700.00 \$700.00	\$1,000.00 \$1,000.00
b. T1/PRI Rearrangement Charge (In Lieu of \$1,000.00 Service Establishment Charge when the customer already has a T1 in place)	N/A	\$200.00
c. D Channel Backup	\$100.00	\$150.00
d. Directory Numbers: Primary Directory Number (w/each ISDN-PRI)	No Charge	No Charge
Additional Directory Numbers	\$2.00/Directory Number	\$25.00/Initial Service Establishment Request
3. CIRCUIT SWITCHED FEATURES:		
a. Features: 1. Clear Channel Capability	No Charge	No Charge
Call-by-Call Capability for the following: a. Public Network Calls (incoming,	No Charge	No Charge
outgoing or 2-way trunk calls) b. DID c. FX: All existing tariff rates apply to FX facilities	No Charge \$10.00	No Charge \$50.00
between CO's. d. Tie Facility: All existing tariff rates apply to Tie	\$ 10.00	\$50.00
facilities between CO's. e. InWATS: All existing tariff rates apply to	\$10.00	\$50.00
measured InWATS. f. OutWATS: All existing tariff rates apply to measured OutWATS.	\$10.00	\$50.00
Advanced Calling Services: Caller ID - Basic (per PRI)	Included w/ISDN-PRI (Communication Channels Mo. Rate)	Included in ISDN-PRI Service Establishment (Communications Channels Svc Establishment
b. Subsequent Feature Additions/Changes: Feature Additions/Changes per PRI	N/A	\$50.00
c. Move Charge To Move ISDN-PRI Service, per PRI	N/A	\$25.00

ISSUED: June 11, 2008

APPROVED FOR FILING THE PUBLIC SERVICE COMMISSION OF SOUTH CAROLINA

EFFECTIVE: June 25, 2008

Section 7 Original Sheet 18

ST. STEPHEN TELEPHONE COMPANY, INC.

South Carolina

SPECIAL DIAL TONE ARRANGEMENTS

- 4. Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI) [Continued]
 - e. Regulations and Conditions (Continued)
 - 6. Customer Premise Equipment (CPE):
 - a. This tariff does not include terminal equipment on the customer's premises. Terminal equipment may be covered under a separate tariff, sold or leased separately by the Telephone Company (under a separate contract), or may be provided by the customer.
 - The customer is responsible for providing the power required for any and all CPE connected to an ISDN-PRI.
 - 7. The Company shall not be liable for any loss or damages arising out of error, interruptions, defects, failure or malfunctions of ISDN services or associated equipment. Damages arising out of such interruptions, defects, failures or malfunctions of the services, after the Telephone Company has been notified, and has reasonable time for repair, shall in no event exceed an amount equivalent to the charges made for the service affected for the period following notice from the customer until service is restored.
 - 8. Service Establishment Charge does not apply for the establishment of the Communication Channels when the customer signs an agreement to subscribe to ISDN-PRI for a minimum of 3 years. If the customer discontinues service prior to the conclusion of the 3 year agreement, the customer will incur a disconnection charge equal to the Service Establishment Charges. The disconnection charge will not apply if the customer purchases other services from the Company which replaces ISDN-PRI service.

APPROVED FOR FILING

ISSUED: June 11, 2008 THE PUBLIC SERVICE COMMISSION EFFECTIVE: June 25, 2008 OF SOUTH DAROLINA

ST. STEPHEN TELEPHONE COMPANY, INC.

South Carolina

SPECIAL DIAL TONE ARRANGEMENTS

- Integrated Services Digital Network (ISDN) Service Primary Rate Interface (PRI) [Continued]
 - f. Rates and Charges

INTEGRATED SERVICES DIGITAL NETWORK (ISDN) SERVICE PRIMARY RATE INTERFACE (PRI) ISDN-PRI RATE SCHEDULE				
ISDN Service	Monthly Rate	Service Establishment (Nonrecurring Rates)		
, ISDN-PRI ACCESS:				
a. ISDN-PRI Access Facility (first mile)	Included in ISDN-PRI Rate (Communication Channels Mo. Rate)	Included in ISDN-PRI Service Establishment (Communications Channels Svc Establishment)		
b. PRI Access Facility - Mileage Charges (each additional mile)	\$20.00/each additional mile	Included in ISDN-PRI Service Establishment (Communication Channels Svc Establishment)		
. COMMUNICATION CHANNELS:		64.000.00		
a. B Channels plus D Channel, OR B Channels (Multiple PRI Arrangement)	\$700.00 \$700.00	\$1,000.00 \$1,000.00		
b. T1/PRI Rearrangement Charge (In Lieu of \$1,000.00 Service Establishment Charge when the customer already has a T1 in place)	N/A	\$200.00		
c. D Channel Backup	\$100.00	\$150.00		
d. Directory Numbers: Primary Directory Number (w/each ISDN-PRI)	No Charge	No Charge		
Additional Directory Numbers	\$2.00/Directory Number	\$25.00/Initial Service Establishment Request		
3. CIRCUIT SWITCHED FEATURES:	THE CO. S. C. S. C			
a. Features: 1. Clear Channel Capability	No Charge	No Charge		
2. Call-by-Call Capability for the following: a. Public Network Calls (incoming,	No Charge	No Charge		
outgoing or 2-way trunk calls) b. DID	No Charge	No Charge \$50.00		
c. FX: All existing tariff rates apply to FX facilities between CO's.	\$10.00	\$50.00		
d. Tie Facility: All existing tariff rates apply to Tie	\$10.00	\$50.00		
facilities between CO's. e. InWATS: All existing tariff rates apply to	\$10.00	\$50.00		
measured InWATS. f. OutWATS: All existing tariff rates apply to measured OutWATS.	\$10.00	\$50.00		
3. Advanced Calling Services: Caller ID - Basic (per PRI)	Included w/ISDN-PRI (Communication Channels Mo. Rate)	Included in ISDN-PRI Service Establishment (Communications Channels Svc Establishment)		
b. Subsequent Feature Additions/Changes: Feature Additions/Changes per PRI	N/A	\$50.00		
c. Move Charge To Move ISDN-PRI Service, per PRI	N/A	\$25.00		

ISSUED: June 11, 2008

THE PUBLIC SERVICE COMMISSION FFECTIVE: June 25, 2008

OF SOUTH CAROLINA BY: Jeff Jung, Vice-President